

Type T/P ½" coaxial 3-way system with hand shower rail, shower head and spout

#### KIT#1345CSTM-6



<sub>C</sub>UPC®

# **Specifications**

# **Composition**

- TCSTM45C 3-way Type T/P coaxial valve trim
- R45 3-way Type T/P coaxial valve rough
- 5055C Hand shower rail
- 468C 20 cm (8") shower head
- 508C 15 cm (6") vertical shower arm
- 775C Elbow supply
- 867C Wall-mount tub spout

### **Available colors**

- C : Chrome
- BN: Brushed Nickel (PVD)

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**





# CUPC® ADA



# **Descriptions**


- Trim only
- 6 positions (OFF, 1, 1 and 2, 2, 2 and 3, 3) share
- R45, R45-SPEX or R45-EX rough required to complete
- Thermostatic/pressure balance coaxial cartridge with check valves

### **Available colors**

- C : Chrome
- BN : Brushed Nickel (PVD)

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval
- ADA



#### Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



3-way Type T/P coaxial valve rough **R45** 



# **Specifications**

# **Descriptions**

- TXX45XX or TXX47XX trim required to complete
- ½" inlet male NPT or sweat
- Service valves
- Rough only
- Three ½" outlets male NPT or sweat
- Test cap


#### Available colors

•

#### Certifications

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

CUPC®



Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



Hand shower rail **5055** 





# **Specifications**

### **Descriptions**

- 150 cm (59") double interlock flexible hose, swivel and 2 check valves
- Scale-free
- 05, 3-jet hand shower
- Ø22 mm (7/8") slide bar
- Easy-Glide left cursor

#### Available colors


- C: Chrome
- BN: Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)

### **Available flows**

- 6.7 L/min, 1.8 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi ( **5055-15** )
- 6.7 L/min, 1.8 gpm (US) 60psi ( **5055-WS** ) \*
- \*EPA certification applicable to the indicated model only\*

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



20 cm (8") shower head **468** 





# **Specifications**

# **Descriptions**

- Scale-free
- G½" inlet female
- Swivel

#### Available colors


- C : Chrome
- BN: Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)

#### Available flows

- 7.6 L/min, 2.0 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi ( 468-15 )
- 6.6L/min, 1.75 gpm (US) 60psi ( 468-WS ) \*
- \*EPA certification applicable to the indicated model only\*

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



#### Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**





# **Specifications**

# **Descriptions**

• Round flange


• ½" inlet male NPT

#### Available colors

• C : Chrome

• BN : Brushed Nickel (PVD)

• PN: Polished Nickel (PVD)



#### Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



# **Specifications**

# **Descriptions**


- ½" outlet male
- Adjustable depth
- ½" inlet female NPT

#### **Available colors**

• C : Chrome

BN : Brushed Nickel (PVD)PN : Polished Nickel (PVD)





Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**





# **Specifications**

# **Descriptions**

- ½" copper slip fit inlet
- Brass
- Drilling hole diameter = 1 (25mm)


#### Available colors


- C : Chrome
- BN : Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval

cUPC®





### Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**